

MAKING YOUR OWN TELESCOPE

Allyn J. Thompson






Plate I. The author's 6-inch $f/9$ telescope, fashioned in accordance with the instructions in this book. The instrument weighs 52 pounds, and cost less than 30 dollars.

MAKING YOUR OWN TELESCOPE

Allyn J. Thompson

DOVER PUBLICATIONS, INC.
Mineola, New York

Copyright

Copyright © 1947, 1973 by Sky Publishing Corporation
All rights reserved.

Bibliographical Note

This Dover edition, published in 2003, is an unabridged republication of the eleventh (1980) printing of the 1973 revised edition first published by Sky Publishing Corporation. This edition has been published by special arrangement with Sky Publishing Corporation, 49 Bay Street Road, Cambridge, MA 02138-1200.

Library of Congress Cataloging-in-Publication Data

Thompson, Allyn J. (Allyn Joseph), 1901-

Making your own telescope / Allyn J. Thompson.

p cm

Originally published: Cambridge, Mass. : Sky Pub Corp., 1947.

Includes bibliographical references and index.

ISBN 0-486-42883-4 (pbk.)

1. Reflecting telescopes—Design and construction—Amateurs' manuals.

I. Title.

QB88.T45 2003

681'4123—dc21

2003043829

Manufactured in the United States of America
Dover Publications, Inc., 31 East 2nd Street, Mineola, N.Y. 11501

PREFACE

IN 1934, A SMALL GROUP OF YOUNG MEN, imbued with a mutual interest in astronomy and a curiosity about the tools of the astronomer, organized themselves into the New York Telescope Makers Association. With the erection of the Hayden Planetarium in 1935, a new focal point of astronomical interest was created for the New York metropolitan area. Shortly thereafter the telescope making group became a part of the Amateur Astronomers Association, an organization now of about 500 members, sponsored since 1927 by the American Museum of Natural History. Facilities and space for the telescope makers were provided in the basement of the Planetarium, where they began activities as the Optical Division of the Amateur Astronomers Association. As such I learned of the group and was privileged to become a member.

The Optical Division presently undertook classes in telescope mirror making, an activity which had been expanding from earlier beginnings at the Museum. With the advent of the war and the absence of some of our most skilled and active members, your author was asked to assist in carrying on with the teaching program, and has continued in this capacity to the present time.

In these classes, numerous problems arose that interest but perplex the tyro concerning the telescope and its parts, its functions and its optics, its capabilities and its limitations, and other related matters. The answers to many of these problems are as widely dispersed as amateur astronomers themselves, and are probably not to be found in any single volume in the consecutive and integrated arrangement which would be most useful to the beginner. Hundreds of mirrors in various stages of incompleteness, made by amateurs working independently at home, have been brought to the author to have their ills analyzed.

In the light of these experiences, it seemed that the sort of serv-

ice and instruction rendered at the Planetarium might worthily be made available to a greater number of amateurs. Accordingly, a series of articles on telescope making was prepared, and published in *Sky and Telescope*. These articles were received with much favorable mention, and it was therefore decided to expand and publish them in book form. And so this volume was born. In it the author has attempted to guide the novice past those pitfalls and snares into which the untutored worker is likely to stumble. Some new techniques are described, enabling excellent optical surfaces to be fashioned in a shorter time than heretofore generally required. The other parts of the telescope have not been neglected, and considerable study is devoted to the design of the various supporting parts. Descriptions of simple pipe mountings of proven efficiency are included. Endeavor has also been made to supply the answers to many questions not elsewhere treated. Some of the diagrams previously used have been redrawn and the number of illustrations has been more than doubled.

We are indebted to Earle B. Brown, an associate in the Optical Division, who read the original manuscript of the *Sky and Telescope* series, and made many corrections and valuable suggestions. Acknowledgment must also be made to Charles and Helen Federer for their patient help in the arrangement of the material and for the order of presentation.

An expression of gratefulness is also made to the Amateur Astronomers Association and its officers, and the members of the Optical Division, all of whom by their interest and active support have helped make this book possible.

ALLYN J. THOMPSON

New York, April 15, 1947

CONTENTS

Chapter I. STORY OF THE TELESCOPE	1
The Galilean Telescope...2 The Keplerian Telescope...3 The Gregorian Telescope...6 The Cassegrainian Telescope...7 The Newtonian Telescope...8 Further Developments...11 Herschel's Contributions...14 The Achromatic Refractor...16 The Modern Era...18 Reflector or Refractor?...21 What Size Refractor?...24	
Chapter II. MATERIALS AND EQUIPMENT	27
The Template...29 Channeling Tool...30 Grinding Stand...30 Mirror Testing Rack...30 Testing Stands...31 Foucault Testing Device...31 Theory of the Foucault Test...34	
Chapter III. MIRROR GRINDING	39
Strokes...39 What Abrasive Does...40 How the Curve Is Ob- tained...41 We Go to Work...42 How to Determine Contact...45 Cleaning Up...47 Fine Grinding...47 Examining for Pits...50	
Chapter IV. THE PITCH LAP	51
Making the Lap...51 A Better Lap...53 Making Contact...57	
Chapter V. POLISHING — TESTING — CORRECTING	59
Theory of Polishing...59 Polishing Procedure...60 How to Use the Foucault Device...62 Further Polishing...67 Examining for Pits...68 Correcting...69 Turned-down Edge...70 Turned-up Edge...70 Correcting the Oblate Spheroid...71 Correcting the Hyperboloid...72	
Chapter VI. THE PARABOLOID	73
The Reference Spheres...75 Knife-edge Magnification...76 Sur- face Tolerance...77 Error of Observation...78 Testing the Pa- raboloid...78 Testing at Focus...85 Test for Astigmatism...85 Parabolizing Strokes...86 Aluminizing...89	

Chapter VII. THE DIAGONAL	90
How Large a Diagonal? . . . 91	
Preliminary Preparations . . . 97	
How Flat a Diagonal? . . . 98	
The Light Source . . . 99	
Testing for Flatness . . . 100	
Making the Diagonal . . . 103	
The Lap . . . 106	
Polishing and Testing . . . 106	
An Elliptical Flat . . . 108	
 Chapter VIII. TUBE PARTS—ALIGNMENT—THE FINDER . . .	111
The Mirror Cell . . . 111	
The Tube . . . 113	
Eyepiece Support . . . 114	
Diagonal Holder . . . 116	
Spider Support . . . 117	
The Saddle . . . 119	
Optical Alignment . . . 120	
The Finder . . . 121	
 Chapter IX. EYEPIECES AND RELATED PROBLEMS . . .	124
Magnification . . . 124	
Field of View . . . 126	
Exit Pupil and Eye Relief . . . 126	
Eyepieces . . . 129	
Aberrations of the Eyepiece . . . 132	
Assembling Eyepiece Components . . . 134	
 Chapter X. THE MOUNTING	137
The Babbitted Bearings . . . 142	
Further Suggestions . . . 145	
A Portable Mounting . . . 145	
The Tripod . . . 146	
Machining the Parts . . . 148	
 Chapter XI. ALUMINIZING AND CLEANING	155
Aluminizing . . . 155	
Packing for Shipment . . . 157	
Care of the Optical Parts . . . 158	
 Chapter XII. SETTING CIRCLES — EQUATORIAL ADJUSTMENT	160
Making the Circles . . . 160	
Adjustment of the Tube . . . 161	
Adjustment of the Polar Axis . . . 162	
Sidereal Time from the Stars . . . 167	
Locating True North by the Sun . . . 167	
 Chapter XIII. OPTICAL PRINCIPLES — ATMOSPHERE — MAGNITUDES	169
The Diffraction Image of a Star . . . 171	
Resolving Power . . . 172	
Diffraction from Obstructions . . . 175	
Extra-focal Diffraction Rings . . . 176	
Atmosphere, and Thermal Disturbances . . . 177	
The Limiting Visual Magnitude of a Telescope . . . 181	
Aberrations of the Paraboloid . . . 182	

Chapter XIV. A SECOND TELESCOPE	185
Long-focus Telescopes	186
Short-focus Telescopes	187
A 4¼-inch Telescope of Long Focus	190
Larger Instruments	191
Testing Notes	192
Tolerable Knife-edge Error	193
Appendix A. SECONDARY REFLECTIONS	195
Disks of Unequal Sizes	195
Broken Disks	195
Concrete Suggestions	195
Blind Flanges	196
Springs	196
Working Time	196
Observing the Sun	197
An Exclusively Solar Telescope	198
A Too-bright Moon	198
Sunspot Projection	198
A Driving Clock	199
Fluoride Coatings	201
Tying the Tripod Legs	201
Appendix B. MAKING AN OPTICAL FLAT	202
Appendix C. BIBLIOGRAPHY	205
Index	207

Picture Credits

- Plate I and Fig. 28. Peter A. Leavens
- Plates II through V. Elwood Logan, American Museum of Natural History
- Plate VI. Arthur Kolins
- Figs. 73, 77, 78, and 79. Drawn by Arthur Kolins
- Fig. 93. Jack Smollen
- Fig. 94. Robert Adlington

MAKING YOUR OWN TELESCOPE

Chapter 1

STORY OF THE TELESCOPE

PRIOR TO THE TIME of the telescope, man's view of the celestial universe was woefully restricted when compared with what now can be enjoyed on any clear evening with ordinary binoculars. There were visible to him then only the naked-eye objects, the sun and the moon, five of the planets, and on a clear night stars down to about the 6th magnitude, some 2,000 in all.¹ A few hazy spots could also be seen, and there would be an occasional comet. Completely unknown were the outer planets, satellites of the planets, Saturn's rings, and infinite numbers of stars and galaxies.

Yet, working without optical aid, early observers managed to make some amazingly accurate charts of the visible stars, and amassed the observations from which the laws of planetary motion were deduced. The principal instrument used in establishing star and planet positions was the quadrant, a device having a graduated arc, and a pointer that pivoted about its center. With it Tycho Brahe (1546-1601), Danish astronomer, and one of the keenest of all observers, was able to record the positions of stars to within one minute of arc — about 1/30 the diameter of the moon. This

¹There are about 6,000 stars in the sky that are bright enough to be visible to the average eye, but about half this number is contained in the celestial hemisphere that is below the horizon. Atmospheric haze obscures the fainter stars lying close to the horizon, thus reducing the number visible at any one time to about 2,000. Some authorities place the figure at 2,500.

was an amazing feat, when it is considered that one minute of arc is about the limit of visual acuity.

Then, in 1608, seven years after Tycho's death, the telescope was brought upon the scene by a Dutch spectacle maker, Jan Lippershey, to whom its invention is credited.² The invention marked one of the great progressive triumphs of man, enabling him to reach farther and ever farther out into space. It was not much of a telescope, this first refractor, consisting of two spectacle lenses perhaps an inch in diameter, one convex and the other concave, and magnifying possibly two or three times. Lippershey, whose name historians spell in various ways, managed to combine two such instruments into a unit, and thus also made the first binocular telescope.

The Galilean Telescope. Very soon, spectacle makers and scientists up and down Europe, learning of Lippershey's invention, were making similar instruments. Notable among the scientists




Fig. 1. Galileo's telescopes.

was Galileo Galilei, the great Italian physicist and astronomer, who fitted a plano-convex and a plano-concave spectacle lens into opposite ends of a lead tube, making a telescope that magnified three times (Fig. 1). "They [the objects] appeared three times nearer and nine times larger in surface than to the naked eye," wrote Galileo. He experimented further and improved this erecting telescope as well as was possible with simple lenses, carrying the magnification up to 30 or more. This was about the limit of its usefulness, however, on account of the great reduction in the size of its field of view.

²The invention of spectacles, which in the course of time led to the telescope, was due perhaps to one Signor Salvino Armato, according to an inscription on his tomb: "Here lies Salvino Armato d'Armati of Florence, inventor of spectacles. May God forgive his sins. The year 1317."

The general arrangement of Galileo's telescope is shown in Fig. 2. Ordinarily, rays from a distant object AB would, after refraction through the objective lens O , meet to form an inverted image ba in the focal plane, but by interposing the concave eye lens




Fig. 2. Image formation in the Galilean (erecting) telescope.

E in front of that plane the rays are caused to become divergent, as though they had proceeded from the points $A'B'$, where a virtual image of the object is formed. This image is erect and magnified; the amount of magnification is the ratio of angle c' to angle c .

As the eye pupil can hardly embrace all of the rays emerging from lens E , only part of the actual field shown can be utilized. Also, the exit pupil (explained in Chapter IX) is located inside the instrument. The field of view thus depends on the size of the eye pupil, and on the diameter of the objective lens. The Galilean telescope is found today in the form of opera and field glasses, but employing quite moderate magnification: 2 to 3 power in the opera glass, and 3 to 6 power in the field glass.

The Keplerian Telescope. An improvement on Galileo's telescope was made in 1611 by Johannes Kepler, a German astronomer and former pupil of Tycho, who suggested that the converging rays from the objective be allowed to come to a focus, and that the resultant image be magnified with a convex lens. Fig. 3 shows the advantage of this new arrangement. The rays, upon emergence from

the eye lens, are now converging; hence more of them and a wider field of view can be taken in by the eye. Projected backward through the eye lens, the rays appear to proceed from $B'A'$, where a virtual image, inverted and enlarged, is formed. As before, the




Fig. 3. Image formation in the Keplerian (inverting) telescope.

amount of magnification is in the ratio of angle c' to angle c . Considerably higher magnification can be had with this inverting telescope.

But with increasing magnification, the inherent defects of a lens, notably chromatic and spherical aberration (Figs. 4 and 5) were likewise increased. The aberrations could be diminished to a considerable extent by lengthening the focus of the objective lens. Consequently, in efforts to reduce these aberrations, enormous proportions were reached, instruments of 130 and 150 feet in length being constructed. Lens diameters up to six inches and more were attained. Non-spherical surfaces were also attempted in an endeavor to overcome spherical aberration. With these extremely long telescopes, working fields of only two or three minutes of arc must have been the rule. For comparison, the angular diameter of the planet Jupiter (at closest opposition) is almost one minute of arc, so the trials and patience of these 17th-century astronomers in aiming their exceedingly long instruments can be appreciated.

Magnification is a secondary consideration of the telescope; its chief function is to collect light. The eye alone gathers a limited

amount of light, hence the luminosity of an object determines its visibility; also, the unaided eye can resolve only a limited amount of detail. An objective lens of the same diameter as the pupil of the eye would not improve vision, regardless of the amount of




Fig. 4. Chromatic aberration in a convex lens. The amount of "bending" undergone by a ray of light depends on the refractive index of the glass. As the index is different for different wave lengths, and greatest for the shortest waves, a refracted ray of white light is dispersed into its component colors, blue being brought to a focus nearer to the lens than yellow or red light.

magnification employed, except that through this enlargement the detail in an object would be made more apparent. A 1-inch objective lens, assuming it to be about $3\frac{1}{2}$ times the diameter of the eye pupil (about seven millimeters at night), collects about 13 times as much light, and correspondingly fainter objects become visible. The amount of detail seen is also increased, due to the greater aperture. So it is evident that the early observers needed larger objectives for greater light-gathering and resolving power.

But since spherical aberration increases with the square of the aperture, the only way in which it could be kept under control was to lengthen the focus, but there was a practical limit to what lengths could be handled. Moreover, a larger field of view was




Fig. 5. Spherical aberration in a convex lens. Rays striking the different zones of a convex lens having spherical surfaces (or of a concave spherical mirror) are not brought to the same focus, edge-zone rays intersecting the axis at a point nearer to the lens (or mirror) than central-zone rays.

greatly desired, and this could accrue only with the use of shorter focal lengths. While spherical aberration could be pretty well eliminated by the use of two suitably curved lenses of the same kind of glass, there still remained chromatic aberration to be contended with.

In the hope of combining lenses of different glasses in such a way as to overcome chromatic aberration, Sir Isaac Newton attempted to determine if refraction and dispersion³ were the same in all optical media. Although his experiment was inconclusive, from it Newton assumed that refraction and dispersion were proportional to each other, and he decided that nothing could be done to improve the refractor. He therefore directed his energies to the formation of images from concave reflecting surfaces, which are perfectly achromatic.

The Gregorian Telescope. Practical experiments with reflectors had already begun in 1639, but it was not until 1663 that they gained any prominence. In that year a Scottish mathematician, James Gregory, at the age of 24, published a treatise entitled *Optica Promota*. In this he gave a description of a compound reflecting telescope employing two concave specula (metal mirrors). The larger one was to be perforated, and to have a paraboloidal surface; the smaller was to be ellipsoidal.⁴ The arrangement is shown in Fig. 6. Notice that the ellipsoidal mirror *s* is placed beyond the




Fig. 6. Paths of light rays in the Gregorian telescope.

³Refraction is the bending of a ray of light as it passes obliquely from one medium to another of different density; dispersion is the change in the amount of refraction for light of various wave lengths.

⁴If an ellipse (see Fig. 34) is rotated about its major axis, the surface of revolution thus generated is a prolate spheroid, but telescope makers commonly use the general term *ellipsoid* for this figure. When an ellipse is rotated about its minor axis, the surface of revolution is an oblate spheroid. If a parabola or a hyperbola is rotated about its principal axis, the resulting surface of revolution is a paraboloid or a hyperboloid.

focal point F of the primary, which is also one of the foci of the ellipsoid. From this position, the secondary mirror returns the rays to form an erect image at its other focus f . High magnification could be had with this instrument, the second reflection amplifying the focal length of the primary in the ratio of fs to Fs . Construction of the telescope was undertaken, but whatever chance it may have had of performing creditably was lost by polishing the speculum on a cloth lap — putty (tin oxide) being used as the polishing agent. The unyielding lap was an insurmountable barrier to parabolizing, interest apparently ebbed, and about 60 years were to elapse before a workable model was finally produced.




Fig. 7. Paths of light rays in the Cassegrainian telescope.

The Cassegrainian Telescope. Sieur Cassegrain, a Frenchman, in 1672 designed a second compound reflector, differing from Gregory's in that it employed a convex secondary, to be of hyperboloidal figure, placed inside of the focus of the paraboloidal primary (Fig. 7). The image formed at f in this case is inverted. The amplification from the second reflection is, as in the previous case, in the ratio of fs to Fs , and while the Gregorian is seen to be capable of higher magnification, all that is necessary can be had from the Cassegrainian, and it has the advantage of being a much more compact instrument. Although little was heard of this telescope for the next two centuries, it is worth observing that it survived the Gregorian, and is still widely used in observatories. The principal reason for its early lack of popularity was no doubt due to the difficulty of giving a hyperboloidal figure to the secondary mirror. This difficulty can be avoided by leaving the secondary with a spherical figure and undercorrecting the primary.⁵ It is also possible to leave the primary spherical, and to make all the correction at the center of the secondary, which will then have an oblate spheroidal form.

⁵*Scientific American*, June, 1938.

The Newtonian Telescope. In 1668, Sir Isaac Newton designed and constructed a small reflector of the type so popular with amateur astronomers today and which still bears his name. His was not large, as we know telescopes today, the effective aperture of the concave speculum being about $1\frac{1}{3}$ ". The focal length was




Fig. 8. Model of a 2-inch reflecting telescope made by Newton and presented by him to the Royal Society.

6", making the focal ratio $f/4.5$.⁶ To bring the light rays to a convenient place for observation, a plane speculum was used for the secondary reflection. This was placed at a 45° angle a short dis-

⁶The $f/$ number of a telescope mirror or lens is the ratio of its focal length to its diameter. In the above case, the focal length of the mirror is 4.5 times its diameter. A mirror of similar diameter but greater focal length would be said to have a higher focal ratio.






Fig. 9. SECTIONAL AND END VIEWS OF A MODERN NEWTONIAN REFLECTING TELESCOPE.



Above are the tube and component parts. Shown at left and right are suggested designs for the mirror cell and the spider support. A, tube; B, primary mirror; C, mirror cell; D, adjusting lock nuts; E, secondary mirror (diagonal); F, spider support; G, 45° adjustment; H, adapter tube holder; I, adapter tube; J, ocular; K, position rings; L, retaining straps; M, saddle.



tance inside the focus of the primary, where it could deflect the rays out through an opening in the side of the tube. There the inverted image was magnified with a plano-convex eyepiece of about $1/6''$ focal length, giving a total magnification of about 36 diameters.

The plan of a modern Newtonian is shown in Fig. 9, and the reflection of rays in Fig. 47. As with the compound telescopes, the primary mirror must be a paraboloid, since a spherical surface cannot reflect parallel rays, such as those from a star, to a single




Fig. 10. Reflection of parallel light rays by: a, spherical mirror; b, paraboloidal mirror. The center of curvature of the spherical mirror is at C.

focus. This is shown in Fig. 10a, where rays striking the edge zones of a spherical mirror are brought to focus inside the focal point of the central-zone rays.⁷ The paraboloid (Fig. 10b) is the only surface that can bring parallel rays to a single focus.

Newton, according to his *Opticks* (1704), polished his specula on pitch, using putty as the polishing agent. His methods were ingeniously calculated to yield a spherical surface, and it is quite probable that a close approach to that figure was attained. The performance of a spherical mirror of the small proportions of

⁷A zone is defined as a ring on the surface of the mirror, all points of which are equidistant from the center. It is often convenient, however, to regard a zone as having a finite width, notably the central zone which, on a 6-inch $f/8$, is substantially equal in width to half the radius of the mirror.

Newton's was probably satisfactory despite the small amount of spherical aberration present. Although Newton thought that his mirror might fail of good definition, he "despaired of doing the work" (parabolizing the speculum), yet he "doubted not but that the thing might in some measure be accomplished by mechanical devices."

Referring back to Fig. 10a, it might be concluded from a study of the diagram that if the center of the mirror were properly deepened, that is, given a shorter radius, or if the radii of the outer zones were progressively lengthened, or if a little of each were done, all the reflected rays could be brought to a common focus. That is a practical solution, and the resulting surface in each instance is a paraboloid. The standard practice is to deepen the spherical mirror so that, for a 6-inch f/8 mirror, the making of which is described in this book, the glass removed in the operation is but half a wave length of light in thickness at the center. Incredible though it seems, this represents the difference between poor and good definition.

The single-lens eyepiece of Kepler's had already been improved, with the addition of another element, by Christian Huygens, a Dutch astronomer and mathematician, about the year 1650. His compound eyepiece is shown in Fig. 68. The field lens, like Galileo's concave lens, is placed before the focal plane of the objective. As it is convex, however, it further converges the rays to form a slightly smaller image in a new focal plane, which is then magnified by the eye lens. Thus, a much wider field of view is encompassed by the eyepiece.

Further Developments. In 1722, John Hadley, an English mathematician, completed a Newtonian form of reflector (Fig. 11), in which the mirror evidently was suitably figured. It was about $5\frac{1}{2}$ " in diameter, and $62\frac{5}{8}$ " in focal length. With a mirror of these dimensions, practically perfect definition could be realized if the surface was given a spherical figure. (See the discussion on surface tolerance in Chapter VI.) This instrument attracted considerable attention, and presently other makers were turning out Newtonian reflectors, following Hadley's technique, which consisted of removing the spherical aberration as it was revealed by the extra-focal diffraction rings of a star image.

Hadley then turned his attention to Gregory's design, and in 1726 he produced an instrument slightly over 2" in diameter and 12" in focal length. This proved so successful that construction was undertaken by other opticians, or artists, as instrument makers and craftsmen appear to have been then known. Notable among these was James Short, who made both Newtonians and Gregorians in great numbers, from about 1732 to the time of his death in 1768. Observatories purchased his larger instruments, a tribute to his skill, and the smaller ones were marketed chiefly among the aristocracy and those amateur astronomers of the day who could afford them.

The principal attraction of the Gregorian design was the erect image it gave, which made it suitable for terrestrial use. This cir-




Fig. 11. The first practical reflecting telescope, made in 1722 by John Hadley.

cumstance influenced its preference over the Newtonian, notwithstanding the fact that its images must have been pretty dull. Well into the 19th century, however, the Gregorian rode a wave of popularity that no type of telescope has known, until overwhelmed in comparatively recent years by the flood of amateurs who have flocked to Newton's design.

From the time of the invention of the telescope, and the startling discoveries of Jupiter's moons and the rings of Saturn, interest in astronomy had become something infectious. Each new discovery was accorded the widest publicity, stimulating a desire among those of learning to gain at first hand a glimpse of these celestial wonders. It was not practicable as yet for the average individual to make his own speculum, but many contrived to fit spectacle lenses into tubes, much as Galileo had done some 150 years earlier. Those whose means permitted bought telescopes, and envied was the gentleman who possessed one of three or four inches aperture, by an "exclusive" artist. But, judged by present-day standards, many of those reflectors were tiny. There is one (maker unknown) in the Fugger Collection at Augsburg, barely 1" in diameter and 6" in focal length, that was concealed in a walking stick! Eyepiece lenses of 1/6" or less in focal length were quite common.

The metal used in those early mirrors was an alloy of copper and tin, the usual proportion about 75 to 25, which could be given a beautiful polish. But the metal was extremely hard to work, and a prodigious amount of labor was involved in grinding and polishing the curve. To facilitate the work, the comparatively thin disks were cast to the approximate curve, the backs also being curved to give uniform thickness and equalization of temperature effects. Grinding was done on convex iron tools of similar radius, using emery, and sometimes sand. Polishing was done on a pitch lap, with rouge. Manufacturers usually devised their own machines to do the work of grinding and polishing. Except where the utmost perfection was imperative, figuring seems to have consisted for the most part of a final brief variation of the stroke, in an unguided attempt to concentrate the polishing at the center. Critical testing, undoubtedly seldom indulged in on account of its laboriousness, could as yet only be performed on a star. In reflective ability, speculum was only about 60 per cent efficient, and the surface

tarnished rapidly, effecting a further serious light loss. This meant frequent repolishing, and repolishing meant refiguring.

It is interesting to inquire into the prices that were asked for telescopes in that period, the latter half of the 18th century. Listed below are prices and sizes of a few of the Gregorians made by Short, selected from his catalogue. Newtonians in similar sizes were priced only slightly lower.

<i>Diameter</i> (inches)	<i>Focal length</i> (inches)	<i>Magnification</i>	<i>Price</i> (guineas)*
1.1	3	18	3
1.9	7	40	6
4.5	24	90-300	35
6.3	36	100-400	75
18	144	300-1,200	800

*An English gold coin, issued until 1813, equivalent to 21 shillings.

By the beginning of the 19th century, amateurs were able to procure specula for the primary and secondary mirrors, for both Newtonian and Gregorian designs. These could be had finished, ready for mounting, or as rough blanks to be ground and polished, not at the amateur's discretion, but to the curve of the iron tools furnished by the maker. Of course, the amateur had no means of correcting the figures of his mirrors, or even of knowing what they might be, the one reliable method of testing not being common knowledge.

Herschel's Contributions. Despite the attendant difficulties, a number of very large specula were made, some of the best by William Herschel. Born in Hanover, Germany, Herschel settled in England in 1757, where he became interested in astronomy and later (1776) turned his attention to telescopes. Working entirely by hand, at first as an amateur, he practiced and developed his technique on a great number of Newtonian telescopes, and learned how to figure the mirrors far better than had any of his predecessors. He performed the polishing in the conventional manner, with the mirror on top, and used a sweeping, circular stroke for parabolizing.

Later, Herschel applied himself to the design now referred to

- [Modern Ranch Living for free](#)
- [click Rethinking Shakespeare's Political Philosophy: From Lear to Leviathan online](#)
- [click *Mine Eyes Have Seen the Glory: A Journey into the Evangelical Subculture in America \(25th Anniversary Edition\)*](#)
- [download The Grotesque \(Bloom's Literary Themes\) here](#)
- [Dancing in the Streets online](#)
- [click *The Flight of the Iguana: A Sidelong View of Science and Nature*](#)

- <http://qolorea.com/library/The-California-Voodoo-Game--Dream-Park--Book-3-.pdf>
- <http://tuscalaural.com/library/Rethinking-Shakespeare-s-Political-Philosophy--From-Lear-to-Leviathan.pdf>
- <http://reseauplatoparis.com/library/Mine-Eyes-Have-Seen-the-Glory--A-Journey-into-the-Evangelical-Subculture-in-America--25th-Anniversary-Edition->
- <http://thewun.org/?library/The-Grotesque--Bloom-s-Literary-Themes-.pdf>
- <http://honareavalmusic.com/?books/Mosby-s-2013-Nursing-Drug-Reference--26th-Edition-.pdf>
- <http://thewun.org/?library/The-Flight-of-the-Iguana--A-Sidelong-View-of-Science-and-Nature.pdf>