

THE EXPERT'S VOICE® IN OPEN SOURCE

Beginning the Linux Command Line

Learn how to put the command line to work to manage files, administer users and groups, install new software, run network services, and create basic shell scripts.

Sander van Vugt

Apress®

Beginning the Linux Command Line



Sander van Vugt

Apress®

Beginning the Linux Command Line

Copyright © 2009 by Sander van Vugt

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage or retrieval system, without the prior written permission of the copyright owner and the publisher.

ISBN-13 (pbk): 978-1-4302-1889-0

ISBN-13 (electronic): 978-1-4302-1890-6

Printed and bound in the United States of America 9 8 7 6 5 4 3 2 1

Trademarked names may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, we use the names only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

Lead Editor: Michelle Lowman

Technical Reviewer: Mary Ann C. Tan

Editorial Board: Clay Andres, Steve Anglin, Mark Beckner, Ewan Buckingham, Tony Campbell,

Gary Cornell, Jonathan Gennick, Michelle Lowman, Matthew Moodie, Jeffrey Pepper,

Frank Pohlmann, Ben Renow-Clarke, Dominic Shakeshaft, Matt Wade, Tom Welsh

Project Manager: Beth Christmas

Copy Editor: Ami Knox

Associate Production Director: Kari Brooks-Copony

Production Editor: Elizabeth Berry

Compositor: Linda Weidemann, Wolf Creek Publishing Services

Proofreader: Nancy Sixsmith

Indexer: Brenda Miller, Odessa&Cie

Artist: April Milne

Cover Designer: Kurt Krames

Manufacturing Director: Tom Debolski

Distributed to the book trade worldwide by Springer-Verlag New York, Inc., 233 Spring Street, 6th Floor, New York, NY 10013. Phone 1-800-SPRINGER, fax 201-348-4505, e-mail orders-ny@springer-sbm.com, or visit <http://www.springeronline.com>.

For information on translations, please contact Apress directly at 2855 Telegraph Avenue, Suite 600, Berkeley, CA 94705. Phone 510-549-5930, fax 510-549-5939, e-mail info@apress.com, or visit <http://www.apress.com>.

Apress and friends of ED books may be purchased in bulk for academic, corporate, or promotional use. eBook versions and licenses are also available for most titles. For more information, reference our Special Bulk Sales—eBook Licensing web page at <http://www.apress.com/info/bulksales>.

The information in this book is distributed on an “as is” basis, without warranty. Although every precaution has been taken in the preparation of this work, neither the author(s) nor Apress shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this work.

Contents at a Glance

About the Author.....	xiii
About the Technical Reviewer.....	xv
Introduction.....	xvii
CHAPTER 1 Starting Linux Command-Line Administration.....	1
CHAPTER 2 Performing Essential Command-Line Tasks.....	27
CHAPTER 3 Administering the Linux File System.....	47
CHAPTER 4 Working with Text Files.....	69
CHAPTER 5 Managing Partitions and Logical Volumes.....	91
CHAPTER 6 Managing Users and Groups.....	133
CHAPTER 7 Managing Permissions.....	163
CHAPTER 8 Managing Software.....	179
CHAPTER 9 Process and System Management.....	197
CHAPTER 10 System Logging.....	217
CHAPTER 11 Configuring the Network.....	237
CHAPTER 12 Configuring a File Server.....	277
CHAPTER 13 Working with the Kernel.....	299
CHAPTER 14 Introduction to Bash Shell Scripting.....	319
APPENDIX Installing Linux.....	353
INDEX	361

Contents

About the Author	xiii
About the Technical Reviewer	xv
Introduction	xvii
CHAPTER 1 Starting Linux Command-Line Administration	1
Linux Distributions	1
Linux History	1
Open Source	2
The First Distributions	2
Linux Turning Mainstream	2
Logging In and Out	4
Different Login Interfaces	5
Working with a User Account	7
Command-Line Basics	8
The Command Interpreter	9
Commands, Options, and Arguments	9
Piping and Redirection	12
Piping	12
Redirection	14
Getting Help	16
Using man to Get Help	16
Using the --help Option	19
Getting Information on Installed Packages	20
Working with the Shell	20
Using the Shell to Best Effect	21
Managing Bash with Key Sequences	25
Summary	26

CHAPTER 2	Performing Essential Command-Line Tasks	27
	Changing Your Password	27
	Working with Virtual Consoles	28
	Becoming Another User	29
	Obtaining Information About Other Users	30
	Communicating with Other Users	31
	Real-Time Communication	31
	Sending Mail from the Command Line	33
	Finding Your Way in the File System	35
	Default Directories	35
	Working with the Linux File System	38
	Working with Directories	38
	Working with Files	39
	Cool Commands	43
	Displaying a Calendar with <code>cal</code>	44
	Clearing Your Screen with <code>clear</code>	44
	Displaying System Information with <code>uname</code> and <code>hostname</code>	44
	Counting Words, Lines, and Characters with <code>wc</code>	45
	Changing and Showing Date and Time with <code>date</code>	45
	Summary	45
CHAPTER 3	Administering the Linux File System	47
	Mounting Disks	47
	Using the <code>mount</code> Command	47
	Unmounting Devices	52
	Automating Mounts with <code>/etc/fstab</code>	53
	Checking File System Integrity	56
	Creating Backups	57
	Making File Backups with <code>tar</code>	57
	Making Device Backups Using <code>dd</code>	62
	Working with Links	63
	Why Use Links?	64
	Working with Symbolic Links	64
	Working with Hard Links	67
	Links Recap	67
	Summary	68

CHAPTER 4	Working with Text Files	69
	Working with Vi	69
	Vi Modes	70
	Saving and Quitting	71
	Cutting, Copying, and Pasting	72
	Deleting Text	72
	Moving Through Text Files	72
	Changing All Occurrences of a String in a Text File	73
	Vi Summarized	73
	Displaying Contents of Text Files	74
	Showing File Contents with cat and tac	74
	Showing a File's Last Lines with tail	75
	Displaying the First Lines in a File with head	76
	Browsing File Contents with less and more	76
	Cool Text File Manipulation Tools	77
	Changing Contents in a Batch with tr	77
	Sorting Text Files with sort	78
	Finding Differences Between Text Files with diff	78
	Checking Whether a Line Exists Twice with uniq	79
	Getting Specific Information with cut	80
	Advanced Text File Filtering and Processing	81
	Working with Basic Regular Expressions	81
	Working with Programmable Filters	84
	Printing Files	87
	Managing CUPS Print Queues	87
	Finding Files	88
	Summary	90
CHAPTER 5	Managing Partitions and Logical Volumes	91
	Addressing Storage Devices	91
	File System Labels	91
	udev Device Names	92
	Creating Partitions	93
	Understanding Partitions	94
	Managing Partitions with fdisk	95
	Working with cfdisk	103
	Recovering Lost Partitions with gpart	104

Creating Logical Volumes	106
Understanding Logical Volumes	106
Setting Up a Disk with Logical Volume Manager	107
Working with Snapshots	112
Basic LVM Troubleshooting	113
Working with File Systems	116
Understanding File Systems	117
Formatting File Systems	122
Maintaining File Systems	122
Resizing File Systems	127
Working with Windows File Systems	129
Cloning Devices	129
Summary	130

CHAPTER 6 **Managing Users and Groups** 133

Setting Up User Accounts	133
Understanding Users and Their Properties	133
Commands for User Management	135
Working with Default Values for User Management	137
Managing Passwords	139
Performing Account Maintenance with <code>passwd</code>	139
Managing Password Expiration	140
Behind the Commands: Configuration Files	140
Group Membership	143
Creating Groups	143
The Use of Group Passwords	145
Managing the User's Shell Environment	145
Creating Shell Login Scripts	145
Showing Messages to Users Logging In	146
Applying Quota to Allow a Maximum Amount of Files	146
Installing the Quota Software	147
Preparing the File System for Quota	147
Initializing Quota	148
Setting Quota for Users and Groups	149

Techniques Behind Authentication	151
Understanding Pluggable Authentication Modules	151
Discovering PAM Modules	153
The role of /etc/nsswitch.conf	156
Configuring Administrator Tasks with sudo	158
Summary	160
CHAPTER 7	
Managing Permissions	163
Setting Ownership	163
Displaying Ownership	163
Changing User Ownership	164
Changing Group Ownership	164
Default Ownership	165
Basic Permissions: Read, Write, and Execute	166
Understanding Read, Write, and Execute Permissions	166
Applying Read, Write, and Execute Permissions	167
Advanced Permissions	168
Understanding Advanced Permissions	168
Applying Advanced Permissions	170
Working with Access Control Lists	171
Understanding ACLs	171
Preparing Your File System for ACLs	172
Changing and Viewing ACL Settings with setfacl and getfacl	172
Setting Default Permissions	175
Working with Attributes	176
Summary	178
CHAPTER 8	
Managing Software	179
Understanding Software Management	179
Managing RPM Packages	180
Working with RPM	180
Working with yum	181
Working with zypper	186
Managing DEB Packages	188
Managing .deb Software Repositories	188
Ubuntu Package Management Utilities	190
Summary	196

CHAPTER 9	Process and System Management	197
	Understanding Linux Processes	197
	Monitoring Processes	199
	Monitoring Processes with top	199
	Finding Processes with ps	204
	Finding PIDs with pgrep	207
	Showing Parent-Child Relations with pstree	207
	Displaying Memory Usage with free	210
	Managing Processes	210
	Killing Processes with kill, pkill, and killall	210
	Adjusting Process Priority with nice	212
	Process Management from top	213
	Scheduling Processes	213
	Summary	215
CHAPTER 10	System Logging	217
	Understanding Logging	217
	Monitoring Log Files	219
	Configuring the syslog Service	220
	Passing Startup Parameters to syslog and syslog-ng	224
	Configuring syslog-ng	226
	Sending Logs Yourself with logger	232
	Rotating Old Log Files	232
	Summary	235
CHAPTER 11	Configuring the Network	237
	A Quick Introduction to Computer Networking	237
	Setting the IP Address	238
	Using ifconfig	238
	Using the ip Tool	242
	Storing Address Configuration	245
	Storing IP Address Configuration on Ubuntu	245
	Storing IP Address Configuration on Fedora	246
	Storing IP Address Configuration on SUSE	248
	Configuring Routing	249
	Managing the Default Route with route	249
	Managing the Default Route with the ip Tool	250
	Storing Routing Information	250

Resolving DNS Names to IP Addresses	251
The Role of the /etc/nsswitch.conf File	251
Using the /etc/hosts File	252
Tuning the Network Card with ethtool	253
Analyzing Network Connections	255
Testing Connectivity	255
Testing Routing	257
Testing Availability of Services	258
Connecting Remotely with Secure Shell	262
Working with Public/Private Key Pairs	263
Working with Secure Shell	264
Configuring SSH	266
Using SSH Key-Based Authentication	268
Caching Keys with ssh-agent	271
Tunneling Traffic with SSH	272
Summary	274
CHAPTER 12 Configuring a File Server	277
Creating a Samba File Server	277
Background of the Samba Project	277
Configuring a Samba File Server	277
Accessing a Samba File Server	286
Basic Samba Troubleshooting	289
Configuring an NFS Server	291
NFS Backgrounds	291
Understanding NFS Processes	291
Configuring an NFS Server	293
Configuring an NFS Client	295
Summary	297
CHAPTER 13 Working with the Kernel	299
Understanding the Kernel	299
Managing Kernel Modules	300
Listing Modules with lsmod	300
Loading and Unloading Modules with modprobe	301
Displaying Module Properties with modinfo	301
Changing Module Options	302
Managing Module Dependencies	303
Legacy Commands for Module Management	303

Tuning Kernel Parameters	303
Writing Changes to /proc	304
Some Useful /proc Parameters	306
Compiling Your Own Kernel and Kernel Modules	307
Understanding Make	307
Modifying and Compiling the Kernel	308
Compiling Modules	311
Managing the GRUB Boot Loader	312
The GRUB Configuration File	313
Working with the GRUB Boot Menu	315
Summary	317
CHAPTER 14 Introduction to Bash Shell Scripting	319
Basic Shell Script Components	319
Elements of a Good Shell Script	319
Executing the Script	321
Working with Variables and Input	322
Understanding Variables	323
Variables, Subshells, and Sourcing	324
Working with Script Arguments	326
Asking for Input	329
Using Command Substitution	331
Substitution Operators	331
Changing Variable Content with Pattern Matching	334
Performing Calculations	336
Using Control Structures	339
Using if ... then ... else	340
Case	344
Using while	345
Using until	346
Using for	347
Summary	350
APPENDIX Installing Linux	353
INDEX	361

About the Author



■ **SANDER VAN VUGT** is an independent trainer and consultant who lives in the Netherlands and works in the extended EMEA (Europe, Middle East, and Africa) area. Sander has been a speaker at major Linux conferences worldwide, such as LinuxWorld in San Francisco and Linux.conf.au in Australia. He specializes in Linux high availability, storage solutions, and performance problems, and has successfully implemented Linux clusters across the globe. Sander has written several books about Linux-related subjects, including *The Definitive Guide to SUSE Linux Enterprise Server* (Apress, 2006), *Beginning Ubuntu Server Administration* (Apress, 2008), and *Pro Ubuntu Server Administration* (Apress, 2008).

Sander's articles can be found on several international web sites and in magazines such as *SearchEnterpriseLinux.com*, *Linux Journal*, and *Linux Magazine*. He works as a volunteer for the Linux Professional Institute (LPI), contributing topics for different certification levels. Most important, Sander is the father of Alex and Franck, and is the loving husband of Florence. For more information, consult Sander's web site: www.sandervanvugt.com. Sander can be reached by e-mail at mail@sandervanvugt.com.

About the Technical Reviewer



■ **MARY ANN C. TAN** has experience in many fields, including slinging regular expressions, watching Linux servers, writing telecom billing systems, being an obsessive-compulsive spreadsheet user, and arguing about machine learning. She is learning Italian, has forgotten most of her Mandarin, trains cats using Cat-Kwan-Do, and sings videoke to survive the Manila night. She currently does GUI development for a telecom testing company as her day job.

Introduction

This book is for anyone who wants to master Linux from the command line. When writing it, I had in mind system administrators, software developers, and enthusiastic users who want to get things going from the Linux command line. For beginning users, this may be a daunting task, as Linux commands often have many options documented only in `man` pages that are not that easy to understand.

This book is distribution agnostic. That is, while writing it, I've checked all items against Ubuntu, Red Hat, and SUSE. Since most distributions are quite similar to one of these three, this book should help you with other distributions as well. There is only one item in the book that is not distribution agnostic: the Appendix, which explains how to install OpenSUSE. I've chosen to cover installation of just one distribution, because if you don't have any Linux installed yet, you probably don't care what you install. If you do care what distribution to work with, you probably have it installed already.

The book begins with an introduction to exactly what I'm talking about when discussing Linux and its different appearances: the distributions. In Chapter 1, you'll also find essential information on how to log on to the computer and how to find out more about the way a command should be used. Chapter 2 follows with some essential Linux commands. After reading this chapter, you'll already start to feel at ease on the Linux command line; among other things, it teaches you how to work with files and directories and how to communicate with other users. Chapter 3 moves the focus to one of the most important tasks you'll perform when working with Linux: working with files. In this chapter, you'll learn not only how to copy files and make directories, but also how to mount devices to your Linux system.

Working with Linux from the command line means working with text files. In Chapter 4, you'll learn about the tools that are at your disposal to do this. You'll get familiar with some of the classic tools, such as `find` and `grep`, and also with some of the more advanced tools, such as `awk` and `sed`. Following that, in Chapter 5 you'll learn more about partitions, logical volumes, and other advanced file system management tasks. After reading this chapter, you'll start feeling at ease on the Linux command line. Chapters 6 and 7 move on to two other essential subjects: the management of users and permissions.

Chapter 8 covers a topic that seems to be handled differently by all the Linux distributions: software management. This chapter teaches you about generic ways to install and manage software packages, such as `rpm` and `dpkg`, and also about some of the distribution-specific ways to deal with these tasks, such as `apt-get`, `rpm`, and `zypper`. Chapters 9 and 10 cover tasks that are important for system administration. In these chapters, you'll learn how to manage processes and how to handle logging on your computer.

By the time you reach Chapters 11 and 12, you're ready to explore network-related tasks. In these chapters, you'll learn how to configure a network interface and how to set up the Samba and NFS file services. Chapters 13 and 14 cover two advanced but useful topics: kernel

management and shell scripting. After you finish the last chapter, you'll have all the knowledge you need to work with Linux from the command line.

There are exercises available for this book as well, which you can download from www.sandervanvugt.com/exercises. These exercises provide an excellent solution for learning Linux in a classroom environment.

I hope you enjoy reading this book and that it prepares you for getting things done from the Linux command line!



Starting Linux Command-Line Administration

To unleash the full power of Linux, as a Linux administrator you will spend most of your time typing commands on the Linux command line, the so-called shell prompt. For someone who is new to the command line, the things that advanced users do there may look like magic. In this chapter, you'll learn about the following topics:

- History of the Linux operating system
- What is open source?
- What are distributions?
- Logging in to Linux
- Command basics: working with commands, options, and arguments
- Using piping and redirection
- Getting help with `--help` and `man`
- Working with the shell

Linux Distributions

For someone new to Linux, the operating system may appear a little bit strange. For instance, exactly what Linux are we talking about? Due to its open source character, there are different versions (the so-called distributions) of Linux. After some Linux history, this chapter teaches you about the differences and similarities between these distributions.

Linux History

Linux started around 1991 all because the Finnish student Linus Torvalds wasn't too happy with Minix, the educational version of the UNIX operating system that he had to work with at the University of Helsinki. In particular, the ability of the kernel (which is the heart of the operating system) of this Minix distribution didn't please him much. He decided to create a better kernel and gave it the name Linux.

Possibly the smartest thing that Torvalds did when starting his initiative was decide not to do it alone. To find other people who wanted to work with him, he posted a message on

Usenet, a major platform in those days that could be used to exchange information with other people and get help from other people.

The initiative by Torvalds didn't stand on its own. Many other software developers had already started initiatives to create free software for the UNIX operating system. The only thing that really was missing at that moment was a kernel that was stable enough to go into production.

Open Source

Right from the start, Torvalds released his software as open source software—that is, software whose computer code is freely available to anyone. This open source initiative fitted well into many other open source programs that were a part of the GNU initiative. The acronym GNU stands for GNU is Not UNIX, which means that this is about software written for the UNIX platform but doesn't use UNIX licensing. This GNU initiative was a part of the Free Software Foundation (FSF), which wanted to create free software for a better operating system experience.

When it came to licensing, Torvalds released his software under the GPL. In those days, GPL stood for GNU Public License, but nowadays it means General Public License. The details of this license are quite complex, but in essence it means that software released under the GPL can be used and modified by anyone, as long as the person modifying this software makes sure that his or her modifications will be released under the GPL as well. In brief: once software has a GPL, it will always stay GPL software. This prevents companies from making small modifications and then taking the software out of GPL and selling it for a lot of money.

The First Distributions

Apart from the Linux kernel, lots of other programs were available under the GPL as well. In the early days, people who wanted to start using Linux had to go on the Internet and download these software programs themselves. Often, after downloading them, they even had to compile them for themselves. This compilation process was necessary to convert the program files, which were published as source code files only, to executable programs that users could execute on their computer.

Software compilation is not very easy to do, and for that reason, different people started to create collections that consisted of the Linux kernel and some other useful programs. One of the first persons to do so was Patrick Volkerding, who started his Slackware distribution in 1993. In those days, this distribution consisted of different software categories, all put together on no fewer than 43 diskettes. Volkerding was perhaps the first who made a successful Linux distribution that started to get used on servers all around the world.

Linux Turning Mainstream

The years between 1993 and 1998 marked the rise of the Linux operating system. One of the most important reasons for this is that it provided a very affordable alternative for the expensive UNIX operating system that was used on many mission-critical server systems. Due to this popularity, during this period the most important Linux distributions were created.

Whereas Slackware was just a collection of software programs with an installation program that made working with Linux easy, other Linux distributions soon started to add value to the open source software. Some did this by adding commercial support to their software

collection, others by creating programs and adding that to their distribution, and some hired developers to optimize the open source programs. The result is that nowadays hundreds of Linux distributions are available for new Linux users. Of all these Linux distributions, only some really matter. In this book, I've focused on the three most important distributions: Red Hat, SUSE, and Ubuntu. By focusing on these three only, I am not making a statement about the quality of the other distributions; however, it makes sense to focus on these three as they make up more than 90% of the Linux market. Following are short descriptions of these three distributions.

Red Hat

North Carolina-based Linux distribution Red Hat had a major role in bringing Linux to the data center of many companies. The reason for the success of Red Hat was that this distributor added support for Linux. At one level, this is support of different hardware and software programs, which means that users of the supported hardware and software programs were guaranteed that they would work on Linux. Red Hat also added help for Linux users, available as a commercial added value to Linux.

Because Red Hat offered Linux with support, companies started putting aside their old flavors of UNIX and replacing them with the much cheaper Linux. This made Red Hat the most important Linux distributor for many years; only recently have SUSE and Ubuntu posed a threat to the commercial success of Red Hat in the enterprise environment.

Currently, there are three product lines related to Red Hat. The most important of these is Red Hat Enterprise Linux (RHEL), which consists of two server versions and a desktop version. RHEL is a commercial product, so it is not available as a free download. It is open source software, however, but the only reason you can't download it for free is because Red Hat has added the Red Hat logo to the RHEL software, and this is something that users have to pay for.

Red Hat also founded the Fedora open source project. Basically, you can see this as the development environment for RHEL. Most new software components are first used and tested in Fedora, and if they are successful there, they will make it into RHEL as well. Fedora Linux is available for free download at www.redhat.com/fedora.

Since the only thing that is not free in Red Hat Enterprise Linux is the Red Hat logo, the CentOS (Community ENTERprise Operating System) distribution offers Red Hat Enterprise Linux software from which the Red Hat logo has been removed. This sounds illegal, but it isn't, as Red Hat is completely open source software. So if you want the stability of Red Hat Enterprise Linux, but don't want to pay for it, CentOS provides a good alternative. You can download CentOS at www.centos.org.

SUSE

The SUSE Linux distribution was founded in Germany. It became popular quite fast because from the beginning SUSE Linux came with lots of software packages. SUSE was one of the first distributions that only sold their distribution and just delivered a demo system as freely available software, thus trying to make money out of it.

In 2004, Utah-based network software company Novell purchased SUSE and developed it into an enterprise-ready Linux distribution that could compete with Red Hat, which in that period still dominated the market.

Currently, there are two directions in SUSE Linux. SUSE Linux Enterprise is the commercial software that offers support, and it exists in three different flavors: SUSE Linux Enterprise

Server, SUSE Linux Enterprise Desktop, and SUSE Linux Enterprise Real Time, a tuned version that allows financial companies to process real-time transactions. With SUSE Linux Enterprise Desktop, Novell has some success in bringing Linux to the enterprise desktop, whereas Red Hat, for example, still focuses on server versions. Interestingly, the SUSE Linux Enterprise products (with the exception of SUSE Linux Enterprise Real Time) are freely downloadable at www.novell.com/downloads.

Apart from the SUSE Linux Enterprise products, there is OpenSUSE, which is a fully open source product. This version also offers a stable Linux distribution, but at the same time is used as a development platform for new software. You can download OpenSUSE at www.opensuse.org.

Ubuntu

Ubuntu is a relatively new Linux distribution. It has become quite successful because its founder, the South African millionaire Mark Shuttleworth, made it an extremely user-friendly distribution and even gives away CDs with the Ubuntu Desktop for free. Anyone can order as many CDs of this distribution he or she likes from www.ubuntu.com.

Apart from the Ubuntu Desktop, Ubuntu has a server edition as well, which due to the success of the desktop version has become quite popular (though not yet as popular as the Red Hat and SUSE server versions). Both versions of Ubuntu Linux are available for free; customers who are interested in getting support can purchase it from Canonical, a separate company that specializes in Ubuntu support.

Remarkable about Ubuntu Linux is the fact that there is a new software release every 6 months. By looking at the name of the distribution, you can see when it was released; for instance, Ubuntu 9.04 was released in April 2009. As enterprise users normally don't like upgrading their operating system every 6 months, there is also a Long Term Support (LTS) version that currently is released every 18 months. The special thing about this version is the extended period of support that is offered. For desktops this is 5 years, and for servers its 7 years.

Note This book focuses on Red Hat, SUSE, and Ubuntu Linux. You will notice, however, that 98% of the commands and configuration files covered in this book are available on other Linux distributions as well. This means that no matter what Linux distribution you use, the information in this book will be useful for you.

Logging In and Out

Before you can do anything on a Linux computer, you have to log in. In this section, you'll learn about usernames and different ways you can use to make yourself known to your Linux computer.

Different Login Interfaces

Before starting to work on your Linux computer, you need to tell it who you are. To help you with this, Linux offers you a login prompt. This can be either a graphical or a nongraphical prompt. If you are working on a Linux desktop, you are likely to see a graphical environment. If, however, it is a server you are working from, you'll just see a shell login prompt.

In Linux, there often is a choice between different solutions. This means there is not just one unified graphical login prompt, but many, depending on the distribution that you are using and on the graphical environment that you have installed. You will notice that the graphical login screen for that reason will be different between the distributions. In Figure 1-1, you can see what it looks like on SUSE Linux.




Figure 1-1. *The graphical login screen on SUSE*

When working with a graphical environment, it is the graphical environment that provides you with the login screen. More specifically, it is the `xdm` process that starts the graphical login screen. So what you see in Figure 1-1 is really the result of this `xdm` process.

If you are working on a server, the graphical environment doesn't matter and is normally not started by default. That is because the graphical environment consumes resources, and these resources on server systems are better reserved for other purposes. Therefore, servers normally offer a text-based login prompt only. In Figure 1-2, you can see what this sort of login prompt looks like.

```

Loading keymap i386/qwerty/us.map.gz           done
Loading compose table winkeys shiftctrl latin1.add done
Start Unicode mode                             done
Loading console font lat9w-16.psfu -m trivial G0:loadable done
Starting auditd                                done
Starting RPC portmap daemon                    done
Importing Net File System (NFS)                 unused
Mount SMB/ CIFS File Systems                   unused
Starting cupsd                                 done
Checking/updating CPU microcode                 done
Starting mail service (Postfix)                 done
Starting CRON daemon                           done
Starting nfsboot (sm-notify)                   done
Starting Name Service Cache Daemon              done
Starting ZENworks Management Daemon            done
Starting powersaved:                           done
Starting SSH daemon                            done
Executing suseRegister (looking for new update channels): done
Starting service gdm                            done
Master Resource Control: runlevel 5 has been    reached
Skipped services in runlevel 5:                 smbfs nfs

Welcome to SUSE Linux Enterprise Server 10 SP2 (i586) - Kernel 2.6.16.60-0.21-default (tty1).

nuuk login:

Welcome to SUSE Linux Enterprise Server 10 SP2 (i586) - Kernel 2.6.16.60-0.21-default (tty1).

nuuk login: _

```

Figure 1-2. *The text-based login prompt*

There are other ways of connecting to a Linux machine as well. If you are a server administrator, your server will probably be installed in an air-conditioned cold server room that you enter only if really necessary. Therefore, as a server administrator, you may use a remote access tool like PuTTY to get shell access to the server. In Figure 1-3, you can see what the PuTTY login screen looks like.

Note PuTTY is the de facto standard for accessing Linux machines from a Windows desktop. You can download PuTTY for free from www.putty.org. To use it, you need SSH on your Linux computer as well. SSH is covered in detail in Chapter 11.




Figure 1-3. PuTTY is the *de facto* standard for accessing a Linux console remotely from a Windows workstation.

As you can see, there are many ways to connect to a Linux machine. In all cases, you do need to provide user credentials. The next section gives more information about that.

Working with a User Account

To log in to a Linux machine, you need a user account name and a password. You should already know what username to use if you installed the machine yourself. If someone else installed the machine for you, ask him or her what username you should use. This username will also have a password. At the login prompt, you need to provide the username and password to make yourself known to the machine. This procedure is also known as *authentication*.

Note There are alternatives to passwords for authentication. For instance, you may use a smart card to authenticate on your machine. However, this is not very common, and for this reason, in this book I will focus on password authentication.

When authenticating for the first time, you have to decide what user account to use. You can authenticate as a normal user, but you can authenticate with the account of the system administrator as well. The username for this account is `root`. On every Linux computer, there is a user with the name `root`, and this user account has no restrictions. The user `root` really is almighty. If you are a system administrator, it makes sense to authenticate as `root`; after

all, you need to do system administration, and for that purpose you need all the permissions there are. If, however, you are a normal user, you shouldn't make a habit of logging in as root by default. Just log in with your normal user account, and use `su` or `sudo` to become root when needed. In Chapter 2, you'll learn how to do this. At this time, just make sure that you are authenticated.

Command-Line Basics

The command line is important, because a system administrator can do anything from it. Linux has many, many commands, more than you will ever know, and new commands are added on a regular basis. All of these commands, though, share a common way of working. In this section, you'll learn about common elements that you will encounter in any Linux command. First, you'll learn about the common structure that every Linux command has. Next, we'll talk about characters that you can and can't use in Linux commands. Figure 1-4 shows what a command line looks like, when started as a terminal from a graphical environment.




Figure 1-4. *The command line as seen from a terminal window*

The command line offers you a prompt that consists of different parts. The first part of the prompt, as you can see in Figure 1-4, is the name of the computer you are working on. In this case, the computer name is `nuuk`. Next, the prompt refers to the current directory in the file system where the user is at right now. In Figure 1-4, you can see a `~` sign instead of the name of a directory. This sign refers to the home directory, which is the folder in the file system where the user can store his or her personal files. Last, the `#` sign in this prompt

- [*The Lost World of Byzantium for free*](#)
- [read online The Necromancer \(The Secrets of the Immortal Nicholas Flamel\)](#)
- [**The Comprehensive Treatment of the Aging Spine pdf**](#)
- [*Programming Windows 8 Apps with HTML, CSS, and JavaScript pdf*](#)

- <http://aneventshop.com/ebooks/The-Umbrella-Man-and-Other-Stories.pdf>
- <http://studystrategically.com/freebooks/Taking-Stock--Make-money-in-microstock-creating-photos-that-sell.pdf>
- <http://creativebeard.ru/freebooks/The-Comprehensive-Treatment-of-the-Aging-Spine.pdf>
- <http://www.mmastyles.com/books/Moonbird-Boy.pdf>